ΜΑΥΤΟΝΙ

Lighting for stairs Bil 3000K 3W IP 54

Series: Bil Article: 0015SL-L3B3K

Article	O015SL-L3B3K
Brand	Outdoor
Collection	Outdoor
Series	Bil series lamps designed to
	illuminate passage areas,
	flights of stairs and corridors.
	High level of protection IP54
	makes it possible to use the
	series both indoors and in
	rooms with high humidity,
	outdoors. The lamps are
	designed in two classic colors:
	white and black, which allow
	choosing a model for most
	interiors and exteriors. Wide
	beam angle provides a large
	area of illumination.
Product type	Lighting for stairs
Fitting color	Black
Fitting material	Aluminum
Color temperature	3000
IP protection	IP 54
Dimmable	No
Color rendering index	80
Scattering angle	30







NameSameWarranty3Power3Volume0.0005Lamps includedNoLight flux60Mounting bowlNoChainNoType of fastenerBuilt-inBase diameter57Mounting hole depth70BaseYesDome lamp switchNoEnergy efficiency classGFireproofNoDyedNoAunting hole depth75Stating length70Dyed0.17Mounting hole depth70DyedNoLampshadeSiMounting hole depth50MarceMoDire lamp switchNoDire lamp switchSiMounting hole depth75Mounting hole depth70Mounting hole depth70Mounting hole depth70Mounting hole depth70Mounting hole diameter57Mounting hole diameter57Mounting hole shapeRoundMounting hole shapeNoMounting hole shapeNoM	Voltage	AC 100-240
NameSameWarranty3Power3Volume0.0005Lamps includedNoLight flux60Mounting bowlNoChainNoType of fastenerBuilt-inBase diameter57Mounting hole depth70BaseYesDome lamp switchNoEnergy efficiency classGFireproofNoDyedNoAunting hole depth75Stating length70Dyed0.17Mounting hole depth70DyedNoLampshadeSiMounting hole depth50MarceMoDire lamp switchNoDire lamp switchSiMounting hole depth75Mounting hole depth70Mounting hole depth70Mounting hole depth70Mounting hole depth70Mounting hole diameter57Mounting hole diameter57Mounting hole shapeRoundMounting hole shapeNoMounting hole shapeNoM	Diameter	70
Power3Volume0.0005Lamps includedNoLight flux60Mounting bowlNoChainNoThe shape of the baseRoundType of fastenerBuilt-inBase diameter57Mounting hole depth70BaseYesDome lamp switchNoLampshadeNoDydNoLampshadeNoPacking length75Not115Mounting hole depth70Dyd0.17Mounting hole depth57Mounting hole depth51Differeroof0.17Net0.17Mounting hole depth70Mounting hole depth57Mounting hole dameter57Mounting hole dameter57Mounting hole dameter57Mounting hole shapeNoMounting hole shape <t< td=""><td>Protection level</td><td>Class1</td></t<>	Protection level	Class1
Volume0.0005Lamps includedNoLight flux60Mounting bowlNoChainNoThe shape of the baseRoundType of fastenerBuilt-inBase diameter70Base diameterNoDome lamp switchNoDreg officiency classGFireproofNoDyedNoPacking lengthNoPacking length57Notonting hole depthSiOrgNoDyedNoDyedNoNoSiMounting hole depthSiMounting hole diameterSiMounting hole shapeNoMounting hol	Warranty	3
Lamps included No Light flux 60 Mounting bowl No Chain No The shape of the base Round Type of fastener Built-in Base diameter 57 Mounting hole depth 70 Base Yes Dome lamp switch No Energy efficiency class G Fireproof No Champshade No Dyed No Lampshade No Packing length 75 Net 0.15 Ret 0.15 Ret 0.15 Ret 0.15 Mounting hole depth 70 No Mounting hole depth 70 Mounting hole dameter 57 Mounting hole shape Round Mounting hole shape No	Power	3
Light flux 60 Mounting bowl No Chain No The shape of the base Round Type of fastener 57 Mounting hole depth 70 Base diameter 70 Base Yes Dome lamp switch No Energy efficiency class G Fireproof No Energy efficiency class G Fireproof No Dyed No Aumpshade No Campshade No Campshade 15 Campshade 10 Fireproof 11 Campshade 10 Campshade 10 Campshad	Volume	0.0005
Mounting bowlNoChainNoThe shape of the baseRoundType of fastenerBuilt-inBase diameter57Mounting hole depth70BaseYesDome lamp switchNoDreg officiency classGDyedNoLampshadeNoPacking length75Not115Gross0.17Mounting hole depth57Mounting hole depth50Net0.15Mounting hole depth51Mounting hole dameter57Mounting hole dameter51Mounting hole dameter50Mounting hole dameter50Mounting hole dameter51Mounting hole shapeNoMounting typeNoMounting typeNoSolar batteryNo	Lamps included	No
Chain No The shape of the base Round Type of fastener Built-in Base diameter 57 Mounting hole depth 70 Base Yes Dome lamp switch No Energy efficiency class G Fireproof No Energy efficiency class G Fireproof No Dyed No Lampshade No Lampshade No Lampshade 75 Not Solar battery No	Light flux	60
The shape of the base Round Type of fastener Built-in Base diameter 57 Mounting hole depth 70 Base Yes Dome lamp switch No Energy efficiency class G Fireproof No Dyed No Lampshade No Lampshade No Anounting hole depth 75 Net 0.15 Gross 0.17 Mounting hole depth 70 Mounting hole dameter 57 Mounting hole shape Round Mounting hole shape Round Mounting type Texнический Motion sensor No	Mounting bowl	No
Type of fastener Built-in Base diameter 57 Mounting hole depth 70 Base Yes Dome lamp switch No Energy efficiency class G Fireproof No Dyed No Lampshade No Auntsphade No Packing length 75 Net 0.15 Gross 0.17 Mounting hole depth 70 Aounting hole depth 70 Mounting hole diameter 57 Mounting hole shape F Mounting hole shape No Mounting type No Mounting type No	Chain	No
Base diameter 57 Mounting hole depth 70 Base Yes Dome lamp switch No Energy efficiency class G Fireproof No Dyed No Lampshade No Packing length 75 Net 0.15 Gross 0.17 Mounting hole depth 70 Mounting hole dameter 57 Mounting hole shape Round Mounting hole shape Faking Round Mounting type Texничeckий Mounting type No	The shape of the base	Round
Mounting hole depth70BaseYesDome lamp switchNoEnergy efficiency classGFireproofNoDyedNoLampshadeNoPacking length75Net0.15Gross0.17Mounting hole depth57Mounting hole shapeКоинМоилting typeNoIlumination sensorNoSolar batteryNo	Type of fastener	Built-in
Base Yes Dome lamp switch No Energy efficiency class G Fireproof No Dyed No Lampshade No Anapshade No Packing length 75 Net 0.15 Gross 0.17 Mounting hole depth 70 Mounting hole dameter 57 Mounting hole shape Round Mounting type Teхничeский Mounting type No	Base diameter	57
Dome lamp switch No Energy efficiency class G Fireproof No Dyed No Lampshade No Packing length 75 Net 0.15 Gross 0.17 Mounting hole depth 70 Mounting hole dameter 57 Mounting hole shape Round Mounting type Texнический Motion sensor No Solar battery No	Mounting hole depth	70
Energy efficiency class G Fireproof No Dyed No Lampshade No Packing length 75 Net 0.15 Gross 0.17 Mounting hole depth 70 Mounting hole diameter 57 Mounting hole shape Round Mounting type Tехнический Mounting type No	Base	Yes
FireproofNoDyedNoLampshadeNoPacking length75Net0.15Gross0.17Mounting hole depth70Mounting hole diameter57Mounting hole shapeRoundMounting typeТехническийMotion sensorNoIllumination sensorNoSolar batteryNo	Dome lamp switch	No
DyedNoLampshadeNoPacking length75Net0.15Gross0.17Mounting hole depth70Mounting hole diameter57Mounting hole shapeRoundMounting typeТехническийMotion sensorNoIllumination sensorNoSolar batteryNo	Energy efficiency class	G
Lampshade No Packing length 75 Net 0.15 Gross 0.17 Mounting hole depth 70 Mounting hole diameter 57 Mounting hole shape Round Mounting type Технический Motion sensor No Illumination sensor No	Fireproof	No
Packing length 75 Net 0.15 Gross 0.17 Mounting hole depth 70 Mounting hole diameter 57 Mounting hole shape Round Mounting type Технический Motion sensor No Illumination sensor No	Dyed	No
Net0.15Gross0.17Mounting hole depth70Mounting hole diameter57Mounting hole shapeRoundMounting typeТехническийMotion sensorNoIllumination sensorNoSolar batteryNo	Lampshade	No
Gross 0.17 Mounting hole depth 70 Mounting hole diameter 57 Mounting hole shape Round Mounting type Технический Motion sensor No Illumination sensor No	Packing length	75
Mounting hole depth70Mounting hole diameter57Mounting hole shapeRoundMounting typeТехническийMotion sensorNoIllumination sensorNoSolar batteryNo	Net	0.15
Mounting hole diameter57Mounting hole shapeRoundMounting typeТехническийMotion sensorNoIllumination sensorNoSolar batteryNo	Gross	0.17
Mounting hole shapeRoundMounting typeТехническийMotion sensorNoIllumination sensorNoSolar batteryNo	Mounting hole depth	70
Mounting typeТехническийMotion sensorNoIllumination sensorNoSolar batteryNo	Mounting hole diameter	57
Motion sensorNoIllumination sensorNoSolar batteryNo	Mounting hole shape	Round
Illumination sensor No Solar battery No	Mounting type	Технический
Solar battery No	Motion sensor	No
	Illumination sensor	No
Built in driver No	Solar battery	No
	Built in driver	No